# 120C Heat Resistance PVC High Gloss Sheet Kitchen Cabinet Door Film Customizable

#### **Basic Information**

Place of Origin: Foshan, China
Brand Name: Realsun Deco
Minimum Order 3000m/model

Quantity:

Price: negotiable Packaging Details: Pack in roll

Delivery Time:

L/C, T/T, Western Union

Payment Terms:Supply Ability:

500000m/month

15-20 days



## **Product Specification**

• Thickness: 0.15mm-0.5mm

Feature: Non-toxic/ Anti Flame/ Moisture-proof/Anti

Scratch

Appliaction: Lamination, Vacuum Membrane Press,

Wrapping

• Length: 100m-400m

• Usage: Furniture, Kitchen Cabinet, Ceiling, Wall

Panel

Surface Treatment: High Gloss, Smooth

• Width: 1260mm, 1400mm

Color: White, Red, Blue, Green, Yellow, Black,

Cream Etc.

• Highlight: Heat Resistance PVC high gloss sheet,

Heat Resistance kitchen cabinet door film,

### **Product Description:**

Our pvc foil is primarily made from Polyvinyl Chloride (PVC), a type of synthetic plastic material that is known for its strength, durability, flexibility, and ease of processing. It is available in a wide array of colors, patterns, and textures, allowing it to mimic the look of natural materials such as wood, stone, fabric, or metal. This provides a cost-effective alternative yet still retaining a high-quality aesthetic. Realsun Deco PVC foil can be applied to various surfaces, including doors, cabinets, furniture, walls, and more. It adheres well to different substrates and can be used in various interior areas. It is renowned for its durability and strength, making it a popular choice for locations with high foot traffic. Despite its durability, it still requires relatively minimal maintenance throughout its lifetime. Once it is in place, it only needs to be wiped down once a week with a moist cloth. Additionally, it is a cost-effective material compared to natural alternatives, making it possible to create upscale aesthetics without incurring costly expenses.

A large range of styles and finishes are available from manufacturers, enabling modifications to meet project requirements or personal design preferences. Decorative pvc foil is often used in residential and commercial settings for applications such as kitchen and bathroom cabinets, internal doors, wall paneling, furniture surfaces, retail displays, and more.

#### **Technical Parameters:**

Product Introduction

We specialize in the production of high-quality PVC film with a wide range of specifications.

The thickness of the film ranges from 0.1mm to 0.5mm, and we provide both 1260mm and 1400mm width, the length of the film can be up to 100-400 meters per roll. There are abundant design of the film including wood grain, solid color, marble, brick and other patterns, as well as the options of matt, super matt, embossed, high-gloss, and soft touch surface treatments.

In addition, our OEM and ODM services can accommodate the individual needs of clients from all over the world.

#### **Applications:**

Membrane Press (Vacuum Press)

This process is used for thickness ranging from 0.20 to 0.50mm, and width from 1260mm to 1400mm, while its length lies between 100m to 300m. With this membrane press method, it is possible to cover MDF, particleboard, wooden board, fiberboard, etc, for doors, kitchen cabinets, wardrobes, and furniture, all at once. Moreover, it can also cover embossed board with five surfaces.

Wrapping Profiles

These profiles can be used on any material such as wood, aluminium, PVC etc. which are used for door frames, window sills, base channels, PVC ceiling etc. Its thickness is between 0.12mm to 0.18mm, width ranges from 40 to 1260mm while the length is 300 to 800m.

Cold Laminating

This process is suitable for flat panels such as wood panels, steel panels, aluminium panel, PVC panel etc. for items such as doors and furniture. Its thickness should range from 0.12mm to 0.20mm, while the width is usually 1240mm or 1260mm and the length can range between 300m to 500m.

Hot Laminating

Hot laminating is used for items such as doors, skirting, etc. It works best on PVC panels, steel panels, or aluminium panels. The recommended thickness is 0.16mm to 0.30mm, width is 1260mm and the length should be around 200m to 300m. Self-Adhesive

Self-adhesive is suitable for coatings of furniture and indoor decorations as well as other industrial decorations. Usually the thickness should be within 0.10mm to 0.20mm, width is 600mm or 1220mm and length ranges from 5m to 50m.

#### **Customization:**

**High Gloss PVC Film** 

Brand Name: Realsun Deco Place of Origin: Foshan, China

Application: Lamination, Vacuum Membrane Press, Wrapping

Length: 100m-400m Service: OEM, ODM Thickness: 0.15mm-0.5mm

Feature: Non-toxic/ Anti Flame/ Moisture-proof/Anti Scratch

Realsun Deco's High Gloss PVC Film is a glossy color pvc foil that provides you with superior quality and high gloss finish. It is made in Foshan, China and is available in length of 100m-400m, thickness of 0.15mm-0.5mm. It is suitable for lamination, vacuum membrane press, and wrapping. Furthermore, this product offers non-toxic, anti flame, moisture-proof, and anti scratch features. With our OEM and ODM services, you can customize the product to meet your needs. Get the glossy color pvc foil and high gloss pvc foil you need from Realsun Deco today!

#### **Support and Services:**

We provide technical support and service for our High Gloss PVC Film products. Our team of experienced professionals are available to answer any questions you may have about the product and its applications. We offer a range of services, including product selection advice, installation guidance, and troubleshooting. We also provide a variety of resources, including product specifications, application guides, and safety information.

If you have any questions or need assistance with any aspect of our High Gloss PVC Film products, please don't hesitate to contact us. We look forward to helping you achieve the best results with our products.

#### **Packing and Shipping:**

Packaging and Shipping

High Gloss PVC Film is packed in roll with wrapping foam sheet, kraft paper and plastic sheet. We can offer pallet packing for shipping by sea or air.

## Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China