




## Indoor Deco Door Lamination Film PVC Membrane Foil 0.1mm-0.5mm

### Our Product Introduction

for more products please visit us on [realsundeco.com](http://realsundeco.com)

#### Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



#### Product Specification

- Length: 100m-400m/roll
- Thickness: 0.1mm-0.5mm
- Material: PVC
- Service: OEM, Customized Design And Size
- Width: 1260mm, 1400mm
- Design: Wood Grain, Marble, Brick, Stone, Plain Color Etc.
- Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.
- Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press And So On
- Highlight: **Indoor Deco PVC Membrane Foil, Indoor Deco Door Lamination Film, Door Lamination Film 0.1mm**

## Product Description

Fashionable PVC Lamination Film with Marble Design Width 1260mm for Kitchen or Bathroom

### Product Description:

Our premium quality **Polyvinyl Chloride (PVC)** foil is an excellent choice for multiple indoor and commercial applications. PVC is the main material used to manufacture our set of foil, which is renowned for its superior strength, flexibility and established processing techniques. Besides, we are glad to offer a variety of colours, patterns, and textures, which can imitate the appearance of genuine materials like wood, stone, cloth, or metal, while being more cost-effective and allowing a premium feel at the same time. Since our foil is highly suitable for various surfaces like walls, doors, cabinets, furniture, etc., you can easily apply it in many interior spaces. Great durability and resistance to damage gives it an added advantage, especially in high-traffic areas or tough conditions. Cleaning the foil is easy too as you will just need to do it once a week with a wet cloth. In comparison to natural materials, our pvc foil sets are significantly economical. Furthermore, you are spoilt for choices when it comes to selecting styles and finishes to modify as per your project needs and personal design. From residential properties to commercial applications, pvc foil is frequently used for multiple purposes including wall paneling, surfaces of furniture, display claws, doors on the inside, cabinets in kitchens and bathrooms and so on.

### Features:

Product Name: PVC Lamination Film  
Thickness: 0.1mm-0.5mm  
Width: 1260mm, 1400mm  
Material: PVC  
Surface: Glossy, Matte, Embossed, Super Matte, Soft Touch  
Service: OEM, Customized Design And Size  
Main Properties: Lamination PVC Foil, Wood Grain PVC Lamination Film, Decorative Foil

### Technical Parameters:

We offer a wide variety of thicknesses, ranging from 0.1mm to 0.5mm, with widths of both 1260mm and 1400mm. One can select the length of the roll, which is between 100 to 400m, and choose from designs such as wood grain, solid color, marble, and brick. Moreover, the surface can be treated with matt, super matt, embossed, high gloss, and soft touch. Lastly, both OEM and ODM services are available.

### Applications:

For different applications, there are various different processes that can be undertaken to finish the job. The first is Membrane Press (vacuum press). With this process, material that is 0.20 and 0.50mm thick can be applied to MDF, particleboard, wooden boards, and fiberboards for the production of doors, kitchen cabinets, wardrobes, and furniture. With this process, embossed board can be applied and five surfaces can be done at once. The next process is Wrapping Profiles. This process is suitable for the application of materials that are between 0.12 and 0.18mm thick. It can be applied to various kinds of profiles, including the likes of wood, aluminium, and PVC. This process is often used to form door frames, window sills, base channels, and PVC ceilings. Cold Laminating is a process that is used frequently and is applicable for material thicknesses of between 0.12 and 0.20mm. This can be used on a range of flat panels, including those of wood, metal, aluminium, and PVC. This is often used for the production of doors and furniture. Hot Laminate is similar to Cold Laminate but requires heat to activate the bonding process. This is suitable for materials that are between 0.16 and 0.30mm thick, and used mainly for PVC panel, steel panel, and aluminium panel-based doors and skirting boards. The final process is Self-adhesive, which needs to be applied to smooth surfaces. This is suitable for materials that are between 0.10 and 0.20mm thick and available in 600mm and 1220mm wide rolls with lengths of 5 to 50 metres. This is mainly used for furniture and indoor decorations.

### Customization:

Realsun Deco provides custom services of PVC Lamination Film with superior quality, competitive price, and excellent service. Place of Origin is Foshan, China. We require minimum order quantity of 3000m/model. The price is negotiable. It is packed in roll and the delivery time is 15-20 days. Payment terms are T/T 30% down payment, 70% balance before shipment. Our supply ability is 500000m/month. We provide OEM and customized design and size service, which can be used for furniture, door, wall, kitchen cabinet, ceiling, etc. We specialize in lamination, vacuum membrane press, wrapping, hot press and so on. The length of the roll is from 100m to 400m and surface can be glossy, matte, embossed, super matte, soft touch.

### Packing and Shipping:

Packaging and Shipping of PVC Lamination Film  
PVC Lamination Film is usually packaged in rolls of different lengths, widths, and thicknesses. For shipping, the rolls will be wrapped in

plastic sheeting. The roll should be sealed and labeled to ensure safe transportation.



**Foshan Realsun Decorative Material Co., Ltd.**



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China